		m
	Application No.	Applicant(s)
Notice of Allowability	10/828,677	AHRENS ET AL.
	Examiner	Art Unit
	Yaima Campos	2185
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED in this 5) or other appropriate communica RIGHTS. This application is subje	s application. If not included ation will be mailed in due course. THIS
1. X This communication is responsive to 9/27/07.		•
2. X The allowed claim(s) is/are 1-11,13-15 and 17-22.		
<ul><li>3. ☐ Acknowledgment is made of a claim for foreign priority</li><li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li></ul>	under 35 U.S.C. § 119(a)-(d) or (f)	
<ol> <li>Certified copies of the priority documents ha</li> <li>Certified copies of the priority documents ha</li> <li>Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).</li> </ol> * Certified copies not received:	ve been received in Application Ńo	
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which gi		
5. CORRECTED DRAWINGS ( as "replacement sheets") m	ust be submitted.	
(a) $\square$ including changes required by the Notice of Draftspe	erson's Patent Drawing Review (P	TO-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	·	
(b) including changes required by the attached Examine Paper No./Mail Date	er's Amendment / Comment or in the	he Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	t 1.84(c)) should be written on the do n the header according to 37 CFR 1.	rawings in the front (not the back) of 121(d).
6. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMEN	posit of BIOLOGICAL MATERIATE THE DEPOSIT OF BIOLO	AL must be submitted. Note the GICAL MATERIAL.
Attachment(s)	E   Notice of left	and Patant Application
1. Notice of References Cited (PTO-892)	5. ☐ Notice of Inform  6. ☐ Interview Sumn	
2. Notice of Draftperson's Patent Drawing Review (PTO-948	Paper No./Mai	I Date
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 9/27/07</li> </ol>	7. 🗌 Examiner's Am	endment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	t 8. ⊠ Examiner's Staf	tement of Reasons for Allowance

9. Other \_\_\_\_.

#### **DETAILED ACTION**

# ACKNOWLEDGEMENT OF REFERENCES CITED BY APPLICANT

1. As required by M.P.E.P. 609(C), the applicant's submissions of the Information

Disclosure Statement dated September 27, 2007 is acknowledged by the examiner and the cited references have been considered in the examination of the claims now pending. As required by M.P.E.P 609 C(2), a copy of the PTOL-1449 initialed and dated by the examiner is attached to the instant office action.

### REASONS FOR ALLOWANCE

- 2. Per the instant office action, claims <u>1-11, 13-15</u>, and <u>17-22</u> are considered as allowable subject matter.
- 3. The primary reasons for allowance of claims 1, 13, and 21-22 in the instant applicant is the combination with the inclusion in these claims of the limitation of a method/system for dynamic striping wherein "... a first dynamic striping policy... storing the first data block using the first dynamic striping policy at the physical disk location in the storage pool... selecting a second dynamic striping policy, wherein the second dynamic striping policy comprises one selected from the group consisting of a dynamic striping policy based on physical disk speed, the dynamic striping policy based on free space available on physical disks, the dynamic striping policy based on load on physical disks, and the round robin policy, and wherein the first dynamic striping policy is distinct from the second dynamic striping policy; and storing the first indirect block using the second dynamic striping

Application/Control Number: 10/828,677 Page 3

Art Unit: 2185

**policy...**" The prior art of record neither anticipates nor renders obvious the above-recited combination.

4. Dependent <u>claims 2-11, 14-15, and 17-20</u> are allowable at least for the reasons recited above including all the limitations of the allowable independent base claims upon which they depend.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **DIRECTION OF FUTURE CORRESPONDENCES**

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yaima Campos whose telephone number is (571)272-1232. The examiner can normally be reached on Monday to Friday 8:30 AM to 5:00 PM.

# **IMPORTANT NOTE**

7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sanjiv Shah can be reached on (571)272-4098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/828,677

Art Unit: 2185

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 26, 2007

Yaima Campos Examiner Art Unit 2185

SANJIV SHAH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

Page 4